Total number of printed pages-7

3 (Sem-1/CBCS) STA HC 1

2021

(Held in 2022)

STATISTICS

(Honours)

Paper: STA-HC-1016

(Descriptive Statistics)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

1. Answer the following as directed: 1×7=7

property bearing the factor of the first of

- (a) The column headings of a statistical table are known as
 - (i) sub-titles
 - (ii) stubs

Contd.

- (Choose the correct option)

reduced by mean of the new set of observations is observation of a set, then the arithmetic 1S subtracted from

(Fill in the blank)

(0) The best comparison of two different series is coefficient of variation. measure of dispersion for

(State True or False)

attributes are attributes A and B, $(AB) > \frac{(A)(B)}{A}$, usual notations, the

- independent
- (11) positively associated
- (iii) negatively associated
- None of the above (Choose the correct option,

Laspeyres price index number uses the quantities as weights. (Fill in the blank)

Scanned by TapScanner

If X and Y are independent, the value of regression coefficient β_{YX} is equal to

(i)

(ii)8

(111) 0

(iv) None of the above (Choose the correct option)

The partial correlation coefficient lies between $-\infty$ and $+\infty$

(State True or False)

- Answer the following questions:
- (a) State two limitations of statistics.
- For a distribution, mean is 10 variance moments about origin. is 16. Find the first
- Prove that Paasche's index number does not satisfy the time reversal test.

- "The regression coefficient of X on Y is 3.2 and that of Y on X is 0.8." Is this statement correct? Give reasons in support of your answer.
- 3. Answer any three of the following 5×3=15 questions:
 - (a) Give a brief description of different components of a statistical table. 5
 - (b) What is standard deviation? Find standard deviation of the first n natural numbers.
 - (c) Define multiple and partial correlation coefficient. If $r_{12} = 0.85$, $r_{13} = 0.65$ and $r_{23} = 0.72$; find $R_{1.23}$. (Notations having usual meaning.)
 - (d) Suppose P_{01}^{La} , P_{01}^{Pa} and P_{01}^{ME} denote Laspeyres, Paasche and Marshall-Edgeworth price index numbers respectively. If $P_{01}^{La} < P_{01}^{Pa}$, then prove that

$$P_{01}^{La} < P_{01}^{ME} < P_{01}^{Pa}$$
 5

- Obtain the normal equations for fitting of the 2^{nd} degree parabola $y = a + bx + cx^2$ on the basis of n pairs $(x_1, y_1), (x_2, y_2), \dots (x_n, y_n)$ of values of (X, Y).
- 4. Answer either (a) or (b):
 - (a) (i) Distinguish between attributes and variables.
 - (ii) Discuss the construction of cost of living index number by family budget enquiry.
 - (iii) Prove that correlation coefficient lies between -1 and +1. Give the geometrical interpretation of the case when r = +1. 4+1=5
 - (b) (i) Write a brief note on consistency of data with special reference to attributes.
 - (ii) Write a note on selection of base period in construction of index number.
 - (iii) Prove that regression coefficients are independent of charge of origin but not of scale.